



**YOUR EQUIPMENT INCLUDES**



- Resistant flooring 500 kg/sqm (approximately 12 cm in height)
- Taupe carpet with plastic protective film
- Wooden partitions covered in ecru brushed cotton (height: 2.40m)
- Sign bearing the exhibitor's name, nationality (flag) and stand number
- Raw banner signage + raw pole for the front of the tent supplied only on the SYE and JAES sectors
- Electric box of 3kW, will be placed by default in the back corner (to the right corner if there are two or in the storage room)
- Finishing service before opening of the Yachting Festival on Tuesday morning (removal of plastic film on carpet and floor cleaning; think to leave access to an electric socket).

**If you wish to change or add some fittings, please consult the following pages then contact the technical service at [service.technique.yachting@rxglobal.com](mailto:service.technique.yachting@rxglobal.com)**

**To order furniture, an increase in electrical power, specific cleaning, and any other equipment or service, please refer to the documents provided in your exhibitor area.**

REINFORCED FLOORING	PRICE (EXCL. VAT)
<p style="background-color: #ff0000; color: white; padding: 2px;"><b>Floors should not be painted, drilled, nailed or glued.</b></p> <p><b>Mandatory for an exhibition with items weighing over 500kg</b> Reminder: The flooring installed in the tents has a maximum resistance of 500 kg/sqm <b>Please enclose a layout plan with the weight and dimensions of the exhibits with your application. The floor must be reinforced over the entire surface of the tent.</b></p>	On quotation
FLOOR COVERING	PRICE (EXCL. VAT)
<p><b>Carpet</b> - with plastic protective film Plastic film removal is included in the service.</p> <div style="display: flex; flex-wrap: wrap; gap: 5px;"> <div style="background-color: black; color: white; padding: 2px 5px;">Black</div> <div style="background-color: #333; color: white; padding: 2px 5px;">Charcoal</div> <div style="background-color: #666; color: white; padding: 2px 5px;">Taupe</div> <div style="background-color: #a52a2a; color: white; padding: 2px 5px;">Camel</div> <div style="background-color: #4b4b4b; color: white; padding: 2px 5px;">Cocoa</div> <div style="background-color: #000080; color: white; padding: 2px 5px;">Navy Blue</div> <div style="background-color: #0000cd; color: white; padding: 2px 5px;">Royal Blue</div> <div style="background-color: #40e0d0; color: white; padding: 2px 5px;">Turquoise</div> <div style="background-color: #cd5c5c; color: white; padding: 2px 5px;">Theatre Red</div> <div style="background-color: #d3d3d3; color: white; padding: 2px 5px;">Light Grey</div> </div>	€ 19/sqm
WOODEN PARTITIONS & CEILING	PRICE (EXCL. VAT)
<p style="background-color: #ff0000; color: white; padding: 2px;"><b>Partitions and doors should not be painted, drilled, nailed or glued.</b></p> <p><b>Wooden partition</b> - dimensions: 2.40m H x 1lm Brushed cotton covering included - colour by default: ecru</p>	€ 154/lm
<p><b>Reinforced partition</b> - dimensions: 2.40m H x 1lm <b>Compulsory for hanging heavy items (TV screen, decoration, or any other element requiring to pierce the wall)</b> Partition overlaying with the help of a plywood floor that can be drilled Brushed cotton covering included - colour by default: ecru Please specify the type of support (screen, board, etc.) to be fixed to the partition. Dimension _____ weight _____</p>	On quotation
<p><b>Lockable wooden door</b> - dimensions: 2.40m H x 1m White paint finish <b>Key to be recovered at the Exhibitors Desk from which you depend</b></p>	€ 261/unit
<p><b>1sqm corner storeroom with lockable door</b> - dimensions 2.40m H x 1m x 1m Brushed cotton covering included - colour by default: ecru</p>	€ 415/unit
<p><b>Brushed cotton covering</b> - to change the colour of the partitions included with your tent, which come in ecru brushed cotton by default.</p> <div style="display: flex; gap: 5px;"> <div style="background-color: black; color: white; padding: 2px 5px;">Black</div> <div style="background-color: #d3d3d3; color: white; padding: 2px 5px;">Light Grey</div> <div style="background-color: #000080; color: white; padding: 2px 5px;">Navy Blue</div> <div style="background-color: #cd5c5c; color: white; padding: 2px 5px;">Red</div> </div>	€ 40/lm
<p><b>Flat awning</b> - colour: white Gives the ceiling of your tent a better finish <b>Not compatible with 30W LED projector.</b></p>	<div style="text-align: center;">  </div> <p>€ 27/sqm</p>

**POWER SOCKETS & LIGHTING**

One 3kW electrical box is included per exhibitor, and positioned by default at the back corner (on the right if 2 corners or in the storeroom if necessary).

For an increase in power, please refer to the document: On land electricity.

**PRICE  
(EXCL. VAT)**



**Track with 3 LED spotlights**

Total electrical power of the track: 225 W



**ONLY on the top of the partitions.**

Cannot be attached to the metallic structure at the front of the tent.

€ 116/unit



**LED 30W Projector**



**Mandatory to attach it at the top and in the center of the tent.**

Cannot be attached to the metallic structure at the front of the tent.

€ 158/unit



**3 way socket**

(Not connected to the electric box)



**To be collected from the Exhibitors Desk in person.**

€ 34/unit



**Standing Fan**

Color: Black / Steel

Dimensions: 59.5cm x15.3cm x 112.2cm (HxLxW)



**LIMITED STOCK**

€ 458/unit


Non-contractual photos

**RAW FINISH BANNER FOR FRONTAGE: BANNER 50CM + POSTS 30CM**

**Excluding the Jetée**

Wooden structure (white paint finish) and approved fastening system allowing the installation of your personalised signage. Must be ordered from our technical department.

**Bands and posts may not be painted, drilled, nailed or glued.**



**BANNER FOR FRONTAGE + POSTS (\*) RAW FINISH  
WITHOUT PRINTING YOUR SIGNAGE**

**PRICE  
(EXCL. VAT)**

3m frontage - raw finish	€ 842
4m frontage - raw finish	€ 886
5m frontage - raw finish	€ 933

\*When ordered on its own, the structure allows you to install your own signage. Please note: it is delivered in raw wood painted white, without any signage. The structure must be fully covered and cannot be left as is.

**SIGNAGE OPTION**

**SIGNAGE ON MY BANNER FOR FRONTAGE (\*)**

**PRICE (EXCL. VAT)**

Printing my visuals - 3m frontage	€ 804
Printing my visuals - 4m frontage	€ 843
Printing my visuals - 5m frontage	€ 880

\*Visuals and installation plan to be provided before **July 31** to [signa-fascia@unify-events.com](mailto:signa-fascia@unify-events.com) We remind you that the files must be sent to us already mocked up, produced by a graphic designer in the required format. Please refer to the technical information at the foot of the page of this document.

**Order form to be returned to [service.technique.yachting@rxglobal.com](mailto:service.technique.yachting@rxglobal.com)  
before 31 July 2026.**

 A 30% surcharge will be applied after this date.

**BILLING ADDRESS**

Company name: ..... Stand number: .....

Contact name: .....

DESCRIPTION	UNIT PRICE (EXCL. VAT)	QUANTITY	TOTAL PRICE IN € EXCL. VAT
<b>FLOOR COVERING</b>			
Reinforced flooring	On quotation		On quotation
Carpet <input type="checkbox"/> Black <input type="checkbox"/> Charcoal <input type="checkbox"/> Taupe <input type="checkbox"/> Camel <input type="checkbox"/> Cocoa <input type="checkbox"/> Navy Blue <input type="checkbox"/> Royal Blue <input type="checkbox"/> Turquoise <input type="checkbox"/> Theatre Red <input type="checkbox"/> Light Grey	€ 19/sqm		
<b>STOREROOMS, PARTITIONS &amp; COVERINGS</b>			
1sqm corner storeroom with lockable door: Dimensions 2.40m H x 1m x 1m Brushed cotton covering included - colour by default: ecru	€ 415/U		
Wooden partition - brushed cotton covering: <input type="checkbox"/> Black <input type="checkbox"/> Light Grey <input type="checkbox"/> Navy Blue <input type="checkbox"/> Red <input type="checkbox"/> Ecru	€ 154/lm		
Reinforced partition	On quotation		On quotation
Lockable wooden door - white painted finish	€ 261/lm		
Brushed cotton - for additional covering on the partitions <input type="checkbox"/> Black <input type="checkbox"/> Light Grey <input type="checkbox"/> Navy Blue <input type="checkbox"/> Red <input type="checkbox"/> Ecru	€ 40/lm		
<b>POWER SOCKET - LIGHTING - CEILING</b>			
Track with 3 LED spotlights	€ 116/U		
3 way socket (Not connected to the electric box) To be collected from the Exhibitors Desk in person.	€ 34/U		
LED 30W Projector	€ 158/U		
Flat awning - white	3x3m	€ 243	
	4x4m	€ 432	
	5x5m	€ 675	
Standing Fan	€ 458/U		

**IMPORTANT**

We would like to draw your attention to the fact that RX France reserves the right to make any necessary adjustments to your order depending on the allocation of your location, your layout and the technical feasibility of your order. These adjustments may lead to a change in the price of your order. If your order is modified, you will receive an information e-mail.

DESCRIPTION	UNIT PRICE (EXCL. VAT)	QUANTITY	TOTAL PRICE IN € EXCL. VAT
<b>FACADE COVERING : BANNER FOR FRONTAGE + POSTS (RAW FINISH) OR JETÉE &amp; SYE</b>			
Raw finish banner + frontage posts: without printing your signage Banner height 50cm and posts width 30cm	3m frontage	€ 842/U	
	4m frontage	€ 886/U	
	5m frontage	€ 933/U	
<b>SIGNAGE ON MY BANNER FOR FRONTAGE</b>			
Printing my visuals. Visuals to be supplied by 31/07/2026	3m frontage	€ 804	
	4m frontage	€ 843	
	5m frontage	€ 880	
<p><b>IMPORTANT:</b> after the deadline, the organisation cannot guarantee the feasibility of your order. A 30% surcharge will be systematically applied for any order received after July 31st 2026. Please note, orders received after August 22nd will not be able to be taken into account. Beyond this date, orders must be placed on site, from September Sunday 6th, with the Exhibitors Desk. These on site orders will remain subject to availability and/or feasibility with a 100% surcharge applied in relation to the initial price.</p> <p>No service provider or decorator can be invoiced on behalf of a customer.</p>		<p><b>Total excl. VAT = €.....</b></p> <p><input type="checkbox"/> 30% surcharge if date exceeded 31/07/2026</p> <p><b>Surcharge 30% = €.....</b></p> <p><b>VAT 20% = €.....</b></p> <p><b>TOTAL INCL. VAT = €.....</b></p>	

**Payment must be enclosed with your order:**

by cheque, made payable to Yachting Festival / RX France

by bank transfer \*

\* If payment is by bank transfer, exhibitors must state on the transfer order slip the following express declaration: "Payment without charge to the beneficiary". Proof of this must be enclosed with your file.

**Yachting Festival / RX France bank details:**

CIC SUD Saint Augustin, Agence Grande Clientèle Entreprises,  
102 boulevard Haussmann 75008 PARIS

**Bank code:** 30066 - **Bank number:** 10947

**Account No.:** 00010067602 - **Key:** 68 - **Swift Code:** CMCIFRPP

**IBAN Code:** FR76 3006 6109 4700 0100 6760 268

**Intracommunity VAT number:** FR 92 410 219 364

**Motive:** Yachting Festival 2026

by credit card, contact: recouvrement@rxglobal.com

Company name \_\_\_\_\_

Surname & First name \_\_\_\_\_

Job Title \_\_\_\_\_

Signed in (town/city) \_\_\_\_\_

Date \_\_\_\_\_

Signature & Business Stamp  
preceded by the handwritten declaration "read and approved"


MANDATORY




**⚠ Deadline to send your printing files: July, 31st 2026**

## VISIBLE DIMENSIONS

**SINGLE GARDEN**




**ATTACHED GARDENS**




## FILE DIMENSIONS


**Frontage banner  
SINGLE GARDEN**




**Frontage banner  
ATTACHED GARDEN**




**Post P1 / P2**



**Post P1 / P2**



**Post P3**



**FRONTAGE BANNER :**  
3200x700mm  
**POST P1:** 500x2600mm  
**POST P2:** 500x2600mm

**FRONTAGE BANNER :**  
6200x700mm  
**POST P1:** 500x2600mm  
**POST P2:** 500x2600mm  
**POST P3:** 800x2600mm

- Means of fixing your branding on our banner and posts by staples or nails only.
- The used materials must be rated M1 (Flame retardancy).
- In the event of damage or breakage of our equipment, we will be obliged to charge you for repair or replacement costs.



 **Deadline to send your printing files: July, 31st 2026**


- 1 File extent :** files must be in PDF format  
We cannot use PDF generated from Word, Powerpoint or Paint. These softwares do not permit to control files size or resolution.  
Files should be generated using a Graphic Design Software (inDesign, Illustrator, Photoshop, Xpress...)
- 2 Size :** you may use the scale you wish (1, half, quarter, tenth,...) as long as the file dimensions are homothetic to the printed desired dimensions.
- 3 Color management :** files must be in CMYK. Pantone colors are accepted but will be printed in a CMYK equivalent.
- 4 Resolution :** in order to reach an optimized quality of print, you must have a good resolution of files. We advise you not to go below 72 dpi at scale 1, therefore the resolution of your files should at least be :
  - 150 dpi for half scale files
  - 300 dpi for quarter scale files
  - 720 dpi for 10th scale files

The higher the resolution, the better your printing quality is  
300 dpi scale 1 file ensures you an optimum quality  
If your file contains images, minimum scale should be a quarter

In order to make sure that no alterations are generated during printing, flatten transparencies, vectorize fonts, and limit overprint in your printing.

- 5 If you require a specific cutting,** you must define a trim mark :
  - Stroke weight must be 0.2 pt at scale 1;
  - Stroke color must be a spot color, and named « coupant ».

To create this spot color, go to « Swatches » > « Create New Swatch »  
Swatch name : « coupant »  
Color Type : « Spot Color »  
Color Mode : « CMYK »




- 6 White printing** (on transparent or black material), in the same way, if you want a white printing, you have to use a fill color (...) with a spot color named « white\_ink »
- 7 Files size:** Try to limit files size.
- 8 Plain black printing**  
Instead of 100% black (0/0/0/100) CMYK, please use a more efficient color splitting : CMYK 30/30/30/100. Printed result will be improved.


**⚠ Deadline to send your printing files: July, 31st 2026**

## VISIBLE DIMENSIONS

**SINGLE GARDEN**




**ATTACHED GARDENS**




## FILE DIMENSIONS


**Frontage banner  
SINGLE GARDEN**




**Frontage banner  
ATTACHED GARDEN**




**Post P1 / P2**



**Post P1 / P2**



**Post P3**



**FRONTAGE BANNER :**  
4200x700mm  
**POST P1:** 500x2600mm  
**POST P2:** 500x2600mm

**FRONTAGE BANNER :**  
8200x700mm  
**POST P1:** 500x2600mm  
**POST P2:** 500x2600mm  
**POST P3:** 800x2600mm

- Means of fixing your branding on our banner and posts by staples or nails only.
- The used materials must be rated M1 (Flame retardancy).
- In the event of damage or breakage of our equipment, we will be obliged to charge you for repair or replacement costs.



**⚠ Deadline to send your printing files: July, 31st 2026**


- 1 File extent :** files must be in PDF format  
We cannot use PDF generated from Word, Powerpoint or Paint. These softwares do not permit to control files size or resolution.  
Files should be generated using a Graphic Design Software (inDesign, Illustrator, Photoshop, Xpress...)
- 2 Size :** you may use the scale you wish (1, half, quarter, tenth,...) as long as the file dimensions are homothetic to the printed desired dimensions.
- 3 Color management :** files must be in CMYK. Pantone colors are accepted but will be printed in a CMYK equivalent.
- 4 Resolution :** in order to reach an optimized quality of print, you must have a good resolution of files. We advise you not to go below 72 dpi at scale 1, therefore the resolution of your files should at least be :
  - 150 dpi for half scale files
  - 300 dpi for quarter scale files
  - 720 dpi for 10th scale files

The higher the resolution, the better your printing quality is  
300 dpi scale 1 file ensures you an optimum quality  
If your file contains images, minimum scale should be a quarter

In order to make sure that no alterations are generated during printing, flatten transparencies, vectorize fonts, and limit overprint in your printing.

- 5 If you require a specific cutting,** you must define a trim mark :
  - Stroke weight must be 0.2 pt at scale 1;
  - Stroke color must be a spot color, and named « coupant ».

To create this spot color, go to « Swatches » > « Create New Swatch »  
Swatch name : « coupant »  
Color Type : « Spot Color »  
Color Mode : « CMYK »




- 6 White printing** (on transparent or black material), in the same way, if you want a white printing, you have to use a fill color (...) with a spot color named « white\_ink »
- 7 Files size:** Try to limit files size.
- 8 Plain black printing**  
Instead of 100% black (0/0/0/100) CMYK, please use a more efficient color splitting : CMYK 30/30/30/100. Printed result will be improved.


**⚠ Deadline to send your printing files: July, 31st 2026**

## VISIBLE DIMENSIONS

**SINGLE GARDEN**




**ATTACHED GARDENS**




## FILE DIMENSIONS


**Frontage banner  
SINGLE GARDEN**




**Frontage banner  
ATTACHED GARDEN**




**Post P1 / P2**



**Post P1 / P2**



**Post P3**



**FRONTAGE BANNER :**  
5200x700mm  
**POST P1:** 500x2600mm  
**POST P2:** 500x2600mm

**FRONTAGE BANNER :**  
10200x700mm  
**POST P1:** 500x2600mm  
**POST P2:** 500x2600mm  
**POST P3:** 800x2600mm

- Means of fixing your branding on our banner and posts by staples or nails only.
- The used materials must be rated M1 (Flame retardancy).
- In the event of damage or breakage of our equipment, we will be obliged to charge you for repair or replacement costs.



 **Deadline to send your printing files: July, 31st 2026**


- 1 File extent :** files must be in PDF format  
We cannot use PDF generated from Word, Powerpoint or Paint. These softwares do not permit to control files size or resolution.  
Files should be generated using a Graphic Design Software (inDesign, Illustrator, Photoshop, Xpress...)
- 2 Size :** you may use the scale you wish (1, half, quarter, tenth,...) as long as the file dimensions are homothetic to the printed desired dimensions.
- 3 Color management :** files must be in CMYK. Pantone colors are accepted but will be printed in a CMYK equivalent.
- 4 Resolution :** in order to reach an optimized quality of print, you must have a good resolution of files. We advise you not to go below 72 dpi at scale 1, therefore the resolution of your files should at least be :
  - 150 dpi for half scale files
  - 300 dpi for quarter scale files
  - 720 dpi for 10th scale files

The higher the resolution, the better your printing quality is  
300 dpi scale 1 file ensures you an optimum quality  
If your file contains images, minimum scale should be a quarter

In order to make sure that no alterations are generated during printing, flatten transparencies, vectorize fonts, and limit overprint in your printing.

- 5 If you require a specific cutting,** you must define a trim mark :
  - Stroke weight must be 0.2 pt at scale 1;
  - Stroke color must be a spot color, and named « coupant ».

To create this spot color, go to « Swatches » > « Create New Swatch »  
Swatch name : « coupant »  
Color Type : « Spot Color »  
Color Mode : « CMYK »



- 6 White printing** (on transparent or black material), in the same way, if you want a white printing, you have to use a fill color (...) with a spot color named « white\_ink »
- 7 Files size:** Try to limit files size.
- 8 Plain black printing**  
Instead of 100% black (0/0/0/100) CMYK, please use a more efficient color splitting : CMYK 30/30/30/100. Printed result will be improved.